



it's white

021





"From within, a majestic and beautiful goddess stepped, and all around grass grew beneath her slender feet. Aphrodite"

With the strings above, Hesiodos speaks of beautiful goddess who is sprouting with lush green grass and flowers, where she has stood out, born from the foaming waves of the sea. The beautiful Aphrodite shimmers like gold and leaves herself amazed for everyone. She is more beautiful than beautiful and more gold than gold. And the one who wears the bright magical gown of goddess like silver just look like her, and it glares the all eyes of the ones who look at.

Aurafix, with nearly 20 years of experience in the medical sector and technology to offer you with liposuction clothes. Inspired by the clear and unique beauty of jasmine flower, the liposuction clothes provide a perfect fit for your body.

Auralipo, a special fabric produced by Silver Ion Technology, rapidly improves the operation areas, while the stretchable, flexible structure of our clothes gives your body the value it deserves with all its freshness and softness.

Aurafix Liposuction clothes will fit your body tightly with a jasmine sensitivity and take its shape. In the meantime, you will experience the goddess's magic garment experience and you will discover your beauty.

It's your shape...



aurafix

108-109

NBEX

6-67

Liposution Garments

.0-1500	ADDOMEN / Thigh High Post-up, Compression Corset	0-7
.C-1505	Hip Fat Transfer, Thigh High Compression Corset	8-9
.C-1520	Abdomen / Mid Calf Post-Op. Compression Corset	10-11
.C-1550	Abdomen / Upper And Lower Leg Post-Op. Compression Corset	12-13
.C-1510	Abdomen / Thigh High / Strappy Post-Op. Compression Corset	14-15
.C-1530	Abdomen / Mid Calf / Strappy Post-Op. Compression Corset	16-17
.C-1560	Chest / Abdomen Post-Op. Compression Corset	18-19
.C-1585	Hip Fat Transfer, Full-Body Compression Corset (Knee High)	20-21
.C-1586	Hip Fat Transfer, Full-Body Compression Corset	
.C-1587	Hip Fat Transfer, Full-Body Compression Corset (Thigh High)	24-25
.C-1595	Back / Abdominal / Under Knee / Chest Open Post-Op. Compression Corset	
.C-1540	Abdomen / Hip / Strappy Post-Op. Compression Corset	28-29
.C-1590	Abdomen / Hip Post-Op. Compression Corset	30-31
.C-1594	Back / Abdominal / Below Knee / Breast Open Post-Op. Compression Corset (with Zipper)	
.C-1593	Back / Abdominal / Below Knee / Breast Open Post-Op. Compression Corset (with Zipper)	34-35
.C-1570	Chest / Abdomen / Hip Post-Op. Compression Corset	
.C-1575	Abdomen / Hip Post-Op. Compression Corset	38-39
.C-1580	Full Body Post-Op. Compression Corset	
.C-1581	Full Body Post-Op. Compression Corset without Sleeve	42-43
.C-1900	Female Post-Op. Compression Vest	
.C-1903	Female Post-Op Compression Vest	
.C-1905	Female Post-Op. Compression Vest Open	
.C-1904	Female Post-Op. Compression Sleeve Chest Closed	
.C-1910	Female Post-Op. Compression Armlet	
.C-1700	Chest / Abdomen Post-Op. Compression Corset	
.C-1720	Chest / Abdomen Post-Op. Compression Vest	
.C-1721	Chest Post-Op. Compression Vest	
.C-1723	Chest Post-Op. Compression Vest	
.C-1725	Chest / Abdomen / Arm Post-Op. Compression Vest	
.C-1710	Chest / Abdomen / Hip Post-Op. Compression Corset	
.C-1715	Abdomen / Hip Post-Op. Compression Corset	66-67

58	GB 68-8	37
Body Sha	apers & Bandages	
LC-1541 LC-2040E LC-2040B LC-2020 LC-2030 LC-2000 (22 cm LC-2050 (16 cm LC-2010 (26 cm LC-2060 (30 cm LC-2055 2 Pane LC-2005 3 Pane	Post-Op. Abdomen / Waist Shaper Corset Compression Corset Chest Band (7cm) Thorax Band (15cm) M) Abdominal Bandage mi Abdominal Bandage with Panels mels (16 cm) Abdominal Bandage with Panels mels (20 cm) Abdominal Bandage with Panels Abdominal Bandage with Adjustable Panels	68-69 70-71 72-73 74-75 76-77 78-79 78-79 78-79 80-81 80-81 80-81 82-83 82-83 84-85 86-87
LC-2043 LC-2041	Abdominal Compression Support Pad 88-9	86-87
Bras		3 /
LC-1600 LC-1601 LC-1610 LC-1620 AG-1050 AG-1060	Post-Op. Bra Post-Op. Bra (with Velcro) Post-Op. Bra (with Zipper) Post-Op. Bra (with Bandage) Breast Prosthesis Bra Silicone Chest Prosthesis	88-89 90-91 92-93 94-95 96 97
F	98-10	07
Facial &	Head Post-Op. Garments	
LC-1810 Fa ANG-980 No 974 Ea	acial / Chin / Neck Bandage	98-99 100-101 102-103 104-105 106-107
G_	108-10)9
Genital F	Post-Op. Garments	

LC-1410

Genitourinary Bandage.





TSD manufactures orthopedic ready to use products which conform with regulations & legal requirements and demands of customers along with latest technology and employees experience & knowledge.

TSD consistently improves all the processes which effects the high product quality that furnishes features such as esthetic, choice, functionality and endurance.

TSD ensures customer satisfaction by quality products, on time delivery along with supporting customer services before and after sales.

TSD aims at being a leader establishment in its sector by evaluating human resources and backing up employees proficiency with trainings.

In terms of quality and continuous improvement, all the managing staff and employees of TSD actively perform a duty for achieving the common goal in line with company objectives.



We have been creating value for the medical sector for 16 years with the brands we have established under the roof of TSD Health Products.

We carry on a business in nearly 50 countries and we share our experiences with our patients about orthopedic ready to use products, orthesis, prosthesis, compression and products after liposuction.

Health requires care and attention and does not accept faults. With this awareness, we are performing our business with care and passion, we closely follow the innovations in the sector

We offer the fastest and most reliable solution to the needs of our patients with our corporate approach that we maintain without compromising our traditions Today, with all our colleagues under the roof of Aurafix, we are aware of the seriousness of our work and stay the course towards our goals without compromising our principles.

The continuous rise of Aurafix and this sample success are being built in cooperation with our colleagues, patients, dealers, doctors and physiotherapists and we continue to grow.

Türkay Gülhan CED







LC-1500

Abdomen / Thigh High Post-Op. Compression Corset

It is a compression garment used after lower abdomen, hip, waist and thigh region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology are provides to support the body in anatomical posture.



	THIGH	WAIST	HIPS	
		9		
1	46 - 49 cm	58 - 64 cm	85 - 90 cm	xxxs
2	49 - 52 cm 19 lii - 20 lii in	64 - 68 cm 25 % - 26 % in	90 - 95 cm 35 W - 37 W M	xxs
3	52 - 55 cm	68 - 72 cm	95 - 100 cm	xs
4	55 - 58 cm 21 % - 22 % in	72 - 76 cm 28 M - 29 W In	100 - 105 cm	s
5	58 - 61 cm	76 - 80 cm 20 % - 31 % M	105 - 110 cm	М
6	61 - 64 cm 24 - 25 W In	80 - 85 cm 31 % - 33 % in	110 - 115 cm 43 % - 45 % in	ι
7	64 - 67 cm	85 - 90 cm	115 - 120 cm 45 % - 47 % hr	ХL
8	67 - 69 cm 26 % - 27 % in	90 - 95 cm 35 % - 37 % in	120 - 125 cm	XXL
9	69-71 cm	95 - 100 cm	125 - 135 cm	XXXI

 $\label{eq:theorem} \mbox{Thigh} \rightarrow \mbox{Measure at the widest point of the thigh, near the crotch.}$

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips - Measure the fullest part of the hips and buttocks.









· Open crotch



· Silicone rubber nonskid band



LC-1505

Hip Fat Transfer Thigh High Compression Corset

Compression garment used after hip fat transfer operations. It accelerates blood circulation due to its compressive effect. The garment is made of double-layered elastic fabric for operation zones. The fabric in the hip area provides minimal compression to the hips with its thin and flexible structure while providing more rigid compression in the operation area with double-layer fabric support. For easy wear and fixing, it has adjustable hook-and-eye system on the front.



	THIGH	WAIST	HIPS	ľ
		®		
1	46 - 49 cm	58 - 64 cm	85 - 90 cm	хх
2	49 - 52 cm 19 % - 20 % lb	64 - 68 cm 25 W - 26 W in	90 - 95 cm 35 W - 37 M in	xx
3	52 - 55 cm	68 - 72 cm	95 - 100 cm	XS
4	55 - 58 cm 21 % - 22 % m	72 - 76 cm 28 % - 29 % in	100 - 105 cm	s
5	58 - 61 cm	76 - 80 cm 20 % - 31 % iii	105 - 110 cm	м
6	61 - 64 cm. 24 - 25 % lm	80 - 85 cm 31 W - 33 % in	110 - 115 cm 43 % - 45 % in	ι
7	64 - 67 cm	85 - 90 cm	115 - 120 cm	ж
8	67 - 69 cm 26 % - 27 % m	90 - 95 cm 35 % - 37 % In	120 - 125 cm 47 W - 49 W in	хх
9	69+71 cm	95 - 100 cm	125 - 135 cm	хх

· Measure at the widest point of the thigh, near the crotch.

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips . Measure the fullest part of the hips and buttocks.

Color Options





· Hip section Auraflex elastic fabric

· Open crotch



Adjustable 3 stage hook-and-eye closures



- Silicone rubber nonskid band



Abdomen Thigh High Post-Op. Compression Corset (Below Knee)

It is a compression garment used after lower abdomen, hip, waist region and lower knee body region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology were are provides support the body in anatomical posture.



49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 21 % - 22 % in 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 61 - 64 cm 110 - 115 cm 80 - 85 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 90 - 95 cm 120 - 125 cm 125 - 135 cm XXXL 69-71 cm 95 - 100 cm

Thigh . Measure at the widest point of the thigh, near the crotch.

Waist. - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

· Measure the fullest part of the hips and buttocks.









Open crotch



· Silicone rubber nonskid band



LC-1550

12

Abdomen / Upper & Lower Leg Post-Op. Compression Corset

It is a compression garment used after lower abdominal, hip, waist, thigh and ankle body region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient.



49 - 52 cm 19 % - 20 W lb 90 - 95 cm 64 - 68 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 110 - 115 cm 61 - 64 cm 24 - 25 W in 80 - 85 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 90 - 95 cm 35 % - 37 % In 120 - 125 cm 125 - 135 cm XXXL 69-71 cm 95 - 100 cm Thigh . Measure at the widest point of the thigh, near the crotch. Waist . Measure at the navel, between the lowest rib and hips, identified by

bending the body to the side.

Hips - Measure the fullest part of the hips and buttocks.









· Open crotch



- Silicone rubber nonskid band



LC-1510

Abdomen Thigh High Strappy Post-Op Compression Corset

It is a compression garment used after abdomen, hip, thigh region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology are provides to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.





52 - 55 cm	68 - 72 cm	95 - 100 cm	×
55 - 58 cm 21 % - 22 % (n)	72 - 76 cm 28 % - 29 % In	100 - 105 cm 39 % - 41 % br	3
58 - 61 cm	76 - 80 cm 20 % - 31 % M	105 - 110 cm	N
61 - 64 cm 24 - 25 W in	80 - 85 cm 31 W - 33 % in	110 - 115 cm 43% - 45% in	i
64 - 67 cm	85 - 90 cm	115 - 120 cm	×
67 - 69 cm 26 % - 27 % in	90 - 95 cm 35 6 - 37 % in	120 - 125 cm 47 % - 49 % in	х
69-71 cm	95 - 100 cm	125 - 135 cm	хх
	55 - 58 cm 21 % - 22 % m 58 - 61 cm 24 - 25 % in 64 - 67 cm 26 - 27 % m 69 - 71 cm	55 - 58 cm 72 - 76 cm 21 1 22 1 m 28 2 29 m 38 2 29 m 1	55 - 58 cm 72 - 76 cm 100 - 105 cm 21 18 - 22 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 - 29 18 18 18 18 18 18 18 18 18 18 18 18 18


Thigh - Measure at the widest point of the thigh, near the crotch.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips - Measure the fullest part of the hips and buttocks.









Adjustable shoulder strap.



- Silicone rubber nonskid band



LC-1530

Abdomen Mid Calf Strappy Post-Op. Compression Corset

It is a compression garment used after abdomen, hip, back and lower knee body region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology are provides to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.



	THIGH	WAIST	HIPS	
		®		
1	46 - 49 cm	58 - 64 cm	85 - 90 cm	xxxs
2	49 - 52 cm 19 % - 20 % in	64 - 68 cm 25 W - 26 W in	90 - 95 cm 35 W - 27 M m	xxs
3	52 - 55 cm	68 - 72 cm	95 - 100 cm	XS
4	55 - 58 cm 21 % - 22 % in	72 - 76 cm 28 % - 29 % In	100 - 105 cm	s
5	58 - 61 cm	76 - 80 cm	105 - 110 cm	м
6	61 - 64 cm 24 - 25 W in	80 - 85 cm 31 W - 33 % in	110 - 115 cm 43 % - 45 % in	ι
7	64 - 67 cm	85 - 90 cm	115 - 120 cm	ХL
8	67 - 69 cm	90 - 95 cm	120 - 125 cm	XXL
9	69-71 cm	95 - 100 cm	125 - 135 cm	XXXI

gh - Measure at the widest point of the thigh, near the crotch.

Waist

• Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips . Measure the fullest part of the hips and buttocks.









Adjustable shoulder strap



- Silicone rubber nonskid band



Chest/ Abdomen Post-Op Compression Corset

It is a compression garment used after abdominal, hip, back and ankle body regions operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology were used to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.




49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 21 % - 22 % in 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 61 - 64 cm 110 - 115 cm 80 - 85 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 90 - 95 cm 120 - 125 cm 69-71 cm 95 - 100 cm 125 - 135 cm XXXI Thigh . Measure at the widest point of the thigh, near the crotch. Waist. - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

- Measure the fullest part of the hips and buttocks.









· Adjustable shoulder strap



· Silicone rubber nonskid band



LC-1585

igsyour

Hip Fat Transfer Full Body Compression Corset (Knee High)

It is a compression garment used after hip fat transfer operations. It accelerates blood circulation due to its compressive effect. The garment is made of double-layered elastic fabric for operation regions. The fabric in the hip region provides minimal compression to the hips with its thin and flexible structure while providing more rigid compression in the operation area with double-layer fabric support. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Adjustable shoulder straps prevent improper position of the corset.



49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 61 - 64 cm 80 - 85 cm 110 - 115 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 90 - 95 cm 120 - 125 cm 69-71 cm 95 - 100 cm 125 - 135 cm XXXI Thigh . Measure at the widest point of the thigh, near the crotch. Waist . Measure at the navel, between the lowest rib and hips, identified by

bending the body to the side.

Hips · Measure the fullest part of the hips and buttocks.

Color Options





· Hip & back section Auraflex elastic fabric



Adjustable 3 stage hook-and-eye closures

- Open crotch



· Silicone rubber nonskid band





Hip Fat Transfer Full Body Compression Corset (Thigh High)

It is a compression garment used after hip fat transfer operations. It accelerates blood circulation due to its compressive effect. The garment is made of double-layered elastic fabric for operation regions. The fabric in the hip region provides minimal compression to the hips with its thin and flexible structure while providing more rigid compression in the operation area with double-layer fabric support. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Adjustable shoulder straps prevent improper position of the corset.



Fabric Instruction · Auralipo - Auraflex

> Edver ion Technology Albertera Coesaym Gió Sweet Almond Dió

	THIGH	WAIST	HIPS	
		9		
1	46 - 49 cm	58 - 64 cm	85 - 90 cm	XXXX
2	49 - 52 cm 19 % - 20 W In	64 - 68 cm 25 W - 26 W In	90 - 95 cm 35 W - 37 W In	xxs
3	52 - 55 cm	68 - 72 cm	95 - 100 cm	XS
4	55 - 58 cm 21 % - 22 % in	72 - 76 cm 26 % - 29 % an	100 - 105 cm	s
5	58 - 61 cm	76 - 80 cm	105 - 110 cm	м
6	61 - 64 cm 24 - 25 W in	80 - 85 cm 31 W - 33 to in	110 - 115 cm 43 % - 45 % in	ι
7	64 - 67 cm	85 - 90 cm	115 - 120 cm	XI.
8	67 - 69 cm 26 % - 27 % in	90 - 95 cm 35 % - 37 % in	120 - 125 cm	XXL
9	69-71 cm	95 - 100 cm	125 - 135 cm	XXXI

· Measure at the widest point of the thigh, near the crotch

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips . Measure the fullest part of the hips and buttocks.

Color Options





Hip & back section Auraflex elastic fabric



Adjustable 3 stage hook-and-eye closures

- Open crotch



· Silicone rubber nonskid band







Hip Fat Transfer Full Body Compression Corset

It is a compression garment used after hip fat transfer operations. It accelerates blood circulation due to its compressive effect. The garment is made of double-layered elastic fabric for operation regions. The fabric in the hip region provides minimal compression to the hips with its thin and flexible structure while providing more rigid compression in the operation area with double-layer fabric support. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Adjustable shoulder straps prevent improper position of the corset.



Fabric Instruction · Auralipo - Auraflex Edver ion Technology Albe vera Comizyn Gió Sweet Almond Dió

	THIGH	WAIST	HIPS	
		®		
1	46 - 49 cm	58 - 64 cm	85 - 90 cm	хх
2	49 - 52 cm 19 % - 20 W th	64 - 68 cm 25 W - 26 W by	90 - 95 cm 35 W - 37 W In	xx
3	52 - 55 cm	68 - 72 cm	95 - 100 cm	×
4	55 - 58 cm 21 % - 22 % in	72 - 76 cm 28 % - 29 % by	100 - 105 cm	s
5	58 - 61 cm	76 + 80 cm 20 8 - 31 W	105 - 110 cm	M
6	61 - 64 cm 24 - 25 W in	80 - 85 cm 31 W - 33 % in	110 - 115 cm 43% - 45% m	L
7	64 - 67 cm	85 - 90 cm	115 - 120 cm	- 30
8	67 - 69 cm 26 % - 27 % %	90 - 95 cm 35 % - 37 % in	120 - 125 cm 47 % - 49 % in	хх
9	69-71 cm	95 - 100 cm	125 - 135 cm	xx
	Sec. 10.000 14	and the second		

Thigh . Measure at the widest point of the thigh, near the crotch.

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips . Measure the fullest part of the hips and buttocks.

Color Options

25





Hip & back section Auraflex elastic fabric



Adjustable 3 stage hook-and-eye closures









Back / Abdominal Under Knee Chest Open Post-Op. Compression Corset

It is a compression garment used after abdominal, hip, back and ankle body region operations. It accelerates blood circulation due to its compressive effect. Its auralipo fabric provides more rigid and body-appropriate compression with double layer fabric support in the operation area. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology are provides to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.



49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 21 % - 22 % # 100 - 105 cm 72 - 76 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 110 - 115 cm 61 - 64 cm 80 - 85 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 26 % - 27 % 8 120 - 125 cm 90 - 95 cm 69-71 cm 125 - 135 cm XXXI 95 - 100 cm

Thigh - Measure at the widest point of the thigh, near the crotch.

 Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.


Hips - Measure the fullest part of the hips and buttocks.


Color Options

27











· Silicone rubber nonskid band





LC-1540

Abdomen / Hip Strappy Post-Op. Compression Corset

It is a compression garment used after abdomen, back region operations. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology were used to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset. Additionally included pad for comfortable use



	HIPS	WAIST	THIGH	
		(1)		
xxx	85 - 90 cm	58 - 64 cm	46 - 49 cm	1
xxs	90 - 95 cm 35 W - 27 M in	64 - 68 cm 25 W - 26 W in	49 - 52 cm 19 % - 20 % in	2
XS	95 - 100 cm	68 - 72 cm	52 - 55 cm	3
s	100 - 105 cm	72 - 76 cm 28 % - 29 % In	55 - 58 cm 21 % - 22 % m	4
м	105 - 110 cm	76 - 80 cm 20 % - 21 % m	58 - 61 cm	5
ι	110 - 115 cm 43 % - 45 % in	80 - 85 cm 31 W - 33 % in	61 - 64 cm 24 - 25 W in	6
XL.	115 - 120 cm	85 - 90 cm	64 - 67 cm	7
XXI	120 - 125 cm	90 - 95 cm 35 % - 27 % In	67 - 69 cm	8
XXX	125 - 135 cm	95 - 100 cm	69-71 cm	9

Waist. · Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips . Measure the fullest part of the hips and buttocks.

Color Options





· Adjustable 3 stage hook-and-eye closures

· Additionally included pad for comfortable



Adjustable shoulder strap



· Adjustable 3 stage hook-and-eye closures



Abdomen / Hip Post-Op. Compression Corset

It is a compression garment used after abdomen, waist, back section, hip operations. The shoulder straps in the adjustable hook and loop system prevent the product from slipping. Reinforced fabric and sewing technology were used to support the body in anatomical posture. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Additionally included pad for comfortable use.



49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 61 - 64 cm 110 - 115 cm 80 - 85 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 67 - 69 cm 90 - 95 cm 120 - 125 cm 125 - 135 cm XXXI 69-71 cm 95 - 100 cm Thigh . Measure at the widest point of the thigh, near the crotch. Waist. - Measure at the navel, between the lowest rib and hips, identified by

bending the body to the side.

- Measure the fullest part of the hips and buttocks.

Color Options





Adjustable 3 stage hook-and-eye closures

· Additionally included pad for comfortable



· Shoulder straps with velcro system



· Traceless seaming technique







LC-1594

Back / Abdominal Thigh High Breast Open Post-Op. Compression Corset (with Zipper)

Compression garment used after abdominal, hip, back and ankle body area operations. It accelerates blood circulation with its compression effect. Auralipo fabric provides more rigid and body-fit compression with double fabric support in the operation area. Side zipper system makes it easy to wear the product. Reinforced fabric and suture technology are provides to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.




		(1)		
XX	85 - 90 cm	58 - 64 cm	46 - 49 cm	1
xx	90 - 95 cm 35 % - 37 % /n	64 - 68 cm 25 W - 26 W in	49 - 52 cm 19 ¼ - 20 ₩ m	2
×	95 - 100 cm	68 - 72 cm	52 - 55 cm 20 % 21 % m	3
s	100 - 105 cm	72 - 76 cm 28 % - 29 % as	55 - 58 cm 21 % - 22 % m	4
M	105 - 110 cm	76 - 80 cm	58 - 61 cm	5
L	110 - 115 cm 43 % - 45 % in	80 - 85 cm 31 W - 33 W in	61 - 64 cm 24 - 25 W km	6
- 30	115 - 120 cm	85 - 90 cm	64 - 67 cm	7
XX	120 - 125 cm 47 % - 49 % in	90 - 95 cm 35 % - 37 % in	67 - 69 cm 26 % - 27 % in	8
xx	125 - 135 cm	95 - 100 cm	69-71 cm	9

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips · Measure the fullest part of the hips and buttocks.









· Side section zipper system



· Silicone rubber nonskid band







34

Back / Abdominal Below Knee Breast Open Post-Op. Compression Corset (with Zipper)

Compression garment used after abdominal, hip, back and ankle body area operations. It accelerates blood circulation with its compression effect. Auralipo fabric provides more rigid and body-fit compression with double fabric support in the operation area. Side zipper system makes it easy to wear the product. Reinforced fabric and suture technology are provides to support the body in anatomical posture. Adjustable shoulder straps prevent improper position of the corset.



49 - 52 cm 64 - 68 cm 90 - 95 cm 52 - 55 cm 68 - 72 cm 95 - 100 cm 55 - 58 cm 21 % - 22 % in 72 - 76 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 110 - 115 cm 61 - 64 cm 80 - 85 cm

Thigh . Measure at the widest point of the thigh, near the crotch.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

85 - 90 cm

90 - 95 cm

95 - 100 cm

· Measure the fullest part of the hips and buttocks.

64 - 67 cm

67 - 69 cm 26 % - 27 % 8

69-71 cm


Color Options

115 - 120 cm

120 - 125 cm 125 - 135 cm XXXI







· Side section zipper system



- Silicone rubber nonskid band





LC-1570

Chest / Abdomen / Arm / Hip Post-Op. Compression Corset

It is a compression garment used in operations involving arm, breast, abdomen, hip, back section. Reinforced fabric and sewing technology are provides to support the body in anatomical posture. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Additionally included pad for comfortable use.



49 - 52 cm 64 - 68 cm 90 - 95 cm 19 - 21 cm 52 - 55 cm 68 - 72 cm 95-100 cm 21 - 24 cm 55 - 58 cm 21 % - 22 % in 72 - 76 cm 24 - 27 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 27 - 30 cm 61 - 64 cm 80 - 85 cm 110 - 115 cm 30 - 33 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 33 - 36 cm 90 - 95 cm 35 M - 37 M II 67 - 69 cm 120 - 125 cm 36 - 40 cm 95 + 100 cm 125 - 135 cm 40 - 44 cm 69-71 cm

Thigh . Measure at the widest point of the thigh, near the crotch

 Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips • Measure the fullest part of the hips and buttocks.

Arm • Measure at the widest point of the arm while relaxed









Adjustable 3 stage hook-and-eye closures



· Long sleeves



Abdomen / Arm / Hip Post-Op. Compression Corset

It is a compression garment used in operations involving arm, abdomen hip back section Reinforced fabric and sewing technology are provides to support the body in anatomical posture. It accelerates blood circulation due to compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Additionally included pad for comfortable use.



49 - 52 cm 64 - 68 cm 90 - 95 cm 19 - 21 cm 2 52 - 55 cm 68 - 72 cm 95-100 cm 21 - 24 cm 55 - 58 cm 21 % - 22 % in 72 - 76 cm 24 - 27 cm 100 - 105 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 27 - 30 cm 61 - 64 cm 80 + 85 cm 110 - 115 cm 30 - 33 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 33 - 36 cm 90 - 95 cm 67 - 69 cm 120 - 125 cm 36 - 40 cm 95 - 100 cm 125 - 135 cm 40 - 44 cm 69-71 cm Thigh . Measure at the widest point of the thigh, near the crotch.

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Measure the fullest part of the hips and buttocks.

Arm • Measure at the widest point of the arm while relaxed.









Adjustable 3 stage hook-and-eye closures



· Adjustable 3 stage hook-and-eye closures · Additionally included pad for comfortable



LC-1580

Full Body Post-Op. Compression Corset

It is a compression garment that extends to the under knee used in operations including arm, breast, abdomen, butt, thigh, knee and entire body region. This product is ideal for situations where different surgical interventions, including breast operations, arm stretching and all other body operations are performed simultaneously. Reinforced fabric and sewing technology are provides to support the body in anatomical posture. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient.



49 - 52 cm 64 - 68 cm 90 - 95 cm 19 - 21 cm 2 52 - 55 cm 68 - 72 cm 95 - 100 cm 21 - 24 cm 100 - 105 cm 55 - 58 cm 24 - 27 cm 72 - 76 cm 58 - 61 cm 76 - 80 cm 105 - 110 cm 27 - 30 cm 110 - 115 cm 61 - 64 cm 80 - 85 cm 30 - 33 cm 64 - 67 cm 85 - 90 cm 115 - 120 cm 33 - 36 cm 120 - 125 cm 47 % - 49 % m 67 - 69 cm 90 - 95 cm 36 - 40 cm 69-71 cm 95 - 100 cm 125 - 135 cm 40 - 44 cm

Thigh - Measure at the wicest point of the thigh, near the crotch.

 Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Hips - Measure the fullest part of the hips and buttocks.

Arm - Measure at the widest point of the arm while relaxed.

Color Options









Adjustable 3 stage hook-and-eye closures

+ Open crotch



Silicone rubber nonskid band





LC-1581

Full Body Post-Op. Compression Corset without Sleeves

It is a compression garment that extends to the sublingual which is used in operations involving arm, breast, abdomen, butt, thigh, knee and whole body area. This product is ideal for situations where different surgical interventions, including breast and other body operations, are performed simultaneously. Reinforced fabric and suture technology are provides to support the body in anatomical posture. It accelerates blood circulation with its compression effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient.



	1946年	The same	Therese	
1	46 - 49 cm	58 - 64 cm	85 - 90 cm 38 0 - 21 0 in	XXXX
2	49 - 52 cm 19 % - 20 W m	64 - 68 cm 25 % - 26 % in	90 - 95 cm 35 ½ - 37 ½ /n	xxs
3	52 - 55 cm 20 % 21 % m	68 - 72 cm	95 - 100 cm	XS
4	55 - 58 cm 21 % - 22 % m	72 - 76 cm 28 % - 29 % in	100 - 105 cm	s
5	58 - 61 cm	76 - 80 cm 29 8 - 31 W	105 - 110 cm	м
6	61 - 64 cm 24 - 25 % in	80 - 85 cm 31 W - 33 W in	110 - 115 cm 43 % - 45 % in	ι
7	64 - 67 cm	85 - 90 cm	115 - 120 cm	XL
8	67 - 69 cm 26 % - 27 % in	90 - 95 cm 35 % - 37 % in	120 - 125 cm 47 % - 47 % in	XXL
9	69-71 cm	95 - 100 cm	125 - 135 cm	XXXL

Thigh • Measure at the widest point of the thigh, near the crotch.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side

Hips · Measure the fullest part of the hips and buttocks.









Open crotch



· Silicone rubber nonskid band



LC-1900

Female Post-Op. Compression Vest

It is a compression used immediately after liposuction operations on the shoulder, breast, arm, back and upper body of the body. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient.



S 70 - 77 cm 24 - 27 cm 27 - 30 cm 20 in 13 - 34 cm 33 - 36 cm 13 - 24 in 13

Under Bust. • Measure directly underneath the bust.

Measure at the widest point of the arm while relaxed.









Adjustable 3 stage hook-and-eye closures



· Long sleeves



Female Post-Op. Compression Vest

It is the compression garment used immediately after liposuction operations in the breast, abdomen and back region. It accelerates blood circulation due to its compressive effect. The front zipper and shoulder area are adjustable with the hook system, it the right treatment by providing ease of use.



UNDER BUST

S 70 - 77 cm

M 77 - 84 cm

D 30 - 33 % m

L 84 - 91 cm

XL 91 - 98 cm

S 35 % 38 % m

XXL 98 - 105 cm

S 38 % m

Under Bust - Measure directly underneath the bust













Front zipper support



Female Post-Op. Compression Vest (Chest Open)

It is the compression garment used immediately after liposuction operations, including the shoulder, arm and back area. It accelerates blood circulation due to its compressive effect. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient.



UNDER SUST

S 70 - 77 cm 24 - 27 cm

27 - 30 cm 20 - 33 cm

L 84 - 91 cm 30 - 33 cm

XL 91 - 98 cm 33 - 36 cm

XXL 98 - 105 cm 36 - 40 cm

Under Bust - Measure directly underneath the bust.

Arm - Measure at the widest point of the arm while relaxed.





Traceless seaming technique



Adjustable 3 stage hook-and-eye closures




· Adjustable transparent strap



Female Post-Op. Compression Sleeves (Chest Closed / Zipper)

Post-op compression sleeves are intended for use after liposuction on the shoulders, arms, triceps. It compresses the operated area and accelerates blood circulation. Thanks to the front hook system, during the treatment period, the compression adjustment of the product is adjusted to the patient and helps correct treatment.











· Adjustable 3 stage hook-and-eye closures



· Traceless seaming technique



· Covered dorsal section support



Female Post-Op. Compression Armsleeve

This is a armlet used after liposuction operations and extending up to the wrist. It accelerates blood circulation by applying compression to the operated region. It has Adjustable 3-stage hook-and-eye back closure is combined with front transparent strap.



S 24-27 cm

M 27-30 cm

10 % 11 % in

L 30-30 cm

XL 33-36 cm

13-14 % in

XXL 36-40 cm

4 m + Measure at the widest point of the arm while relaxed









· Adjustable 3 stage hook and eye back closure · Long sleeves



LC-1700

Chest / Abdomen Post-Op. Compression Corset

This is a compression garment extra-reinforced used after the breast reduction, abdomen stretching liposuction operations. It accelerates blood circulation due to its compressive effect. Reinforced fabric and sewing technology are provides to support the body in anatomical posture.



2 100 - 105 cm 105 - 110 cm 110 - 115 cm 120 - 125 cm 120 - 125 cm XXXL 130 - 135 cm

Chest - Measure at the widest point of the chest near the underarms.

Waist . Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.









· Covered section area support





Chest / Abdomen Post-Op. Compression Vest

This is a compression garment extra-reinforced used after the breast reduction, abdomen stretching liposuction operations. It accelerates blood circulation due to its compressive effect. During the treatment period, Thanks to the 3-stage adjustable hook-and-eye closure, it helps correct treatment ensuring that the compression adjustment of the product is done appropriately to the patient.



	CHEST	WAIST	
1	90 -95 cm	80 - 85 cm	xxxx
2	95 - 100 cm 37% - 39 % in	85 - 90 cm 33 % = 35 %. III	xxs
3	100 - 105 cm	90 - 95 cm	xs
4	105 - 110 cm	95 - 100 cm 37 % - 39 % in	s
5	110-115 cm	100 - 105 cm	м
6	115+120 cm 45 % -47 % in	105 - 110 cm	ι
7	120 - 125 cm	110 - 115 cm	XL
8	125 - 130 cm 40 % - 51 % in	115 - 120 cm 45 % - 47 % in	XXL
9	130 - 135 cm	120 - 125 cm	XXX
oral Paren	de consumero	Same reserved	

Chest - Measure at the widest point of the chest near the underarms.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.
















Breast Post-Op. Compression Vest (with Velcro)

The breast area used after gynecomastia operations is an extra reinforced compression suit. It accelerates blood circulation with its compression effect. It provides maximum compression with its back fixable velcro structure and contributes to correct treatment.



	WAIST	CHEST	
XXXS	80 - 85 cm	90-95 cm	1
XXS	85 - 90 cm 33 W + 35 % (iii	95 - 100 cm 37 % - 39 % in	2
XS	90 - 95 cm	100 - 105 cm	3
s	95 - 100 cm 37 % - 39 % in	105 - 110 cm	4
м	100 - 105 cm	110 - 115 cm	5
L	105 - 110 cm	115 + 120 cm	6
XL	110 - 115 cm	120 - 125 cm	7
XXL	115 - 120 cm 45 % - 47 % in	125 - 130 cm 49 % - 51 % /m	8
XXXI	120 - 125 cm	130 - 135 cm	9

Chest - Measure at the widest point of the chest near the underarms,

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.





· Adjustable velcro system on back



· Traceless seaming technique



· Covered dorsal section support



Chest Post-Op. Compression Vest

It is a chest region an extra reinforced compression garmenu used after breast reduction operations. It accelerates blood circulation due to its compressive effect. Thanks to the 3 stage adjustable hook and eye front closure, it helps the correct treatment during the treatment period by ensuring that the compression adjustment of the product is made suitable to the patient



	WAIST	CHEST	
	0		
XXXX	80 - 85 cm	90 -95 cm	1
xxs	85 - 90 cm 33 W - 35 W In	95 - 100 cm 37 % - 59 % in	2
xs	90 - 95 cm	100 - 105 cm	3
s	95 - 100 cm 37 % - 37 % In	105 - 110 cm	4
м	100 - 105 cm	110 - 115 cm	5
L	105 - 110 cm	115 - 120 cm	6
XI.	110 - 115 cm	120 - 125 cm	7
XXL	115 - 120 cm 45 % - 47 % in	125 - 130 cm 49 W - 51 W in	8
ххх	120 - 125 cm	130 - 135 cm	9

Chest - Measure at the widest point of the chest near the underarms.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side









· Front zipper support



· Traceless seaming technique



Chest / Abdomen / Arm Post-Op. Compression Vest

This is an extra reinforced compression garment for chest region used in after breast reduction, tummy tuck, upper arm liposuction operations. It accelerates blood circulation due to its compressive effect. Thanks to the 3-stage adjustable hook-and-eye front closure, it helps the correct treatment during the treatment period by ensuring that the compression adjustment of the product is made suitable to the patient



). 	WAIST	CHEST	
	•		
xxx	80 - 85 cm	90 -95 cm	1
xxs	85 - 90 cm 35 % - 35 % in	95 - 100 cm	2
XS	90 - 95 cm	100 - 105 cm	3
s	95 - 100 cm 37 % - 39 % in	105 + 110 cm 41 % - 43 % in	4
м	100 - 105 cm	110 - 115 cm	5
L	105 - 110 cm	115 - 120 cm 45 % - 47 % in	6
XL	110 - 115 cm	120 - 125 cm	7
XXI	115 - 120 cm 45 % - 47 % fs	125 + 130 cm	8
XXX	120 - 125 cm	130 - 135 cm	9

Chest - Measure at the widest point of the chest near the underarms.

Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.





· Adjustable 3 stage hook and eye closure



· Traceless seaming technique



· Long sleeves



Chest / Abdomen / Hip Post-Op. Compression Corset

This is a compression garment that extends up to the knee used after all body liposuction from breast reduction to thigh and abdomen stretching operations. During the 3-hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset for the patient. Reinforced fabric and sewing technology are provides to support the body in an anatomical position.



85 - 90 cm 46 - 49 cm 95 - 100 cm 100 - 105 cm 90 - 95 cm 49 - 52 cm 52 - 55 cm 105 - 110 cm 95 - 100 cm 37% - 39 % 1 110 - 115 cm 100 - 105 cm 55 - 58 cm 58 - 61 cm 115 - 120 cm 105 - 110 cm 120 - 125 cm 110 - 115 cm 61 - 64 cm 125 - 130 cm 115 - 120 cm 64 - 67 cm 130 - 135 cm 120 - 125 cm 67 - 70 cm

Chest - Measure at the widest point of the chest near the underarms.

 Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Thigh - Measure at the widest point of the thigh, near the crotch.









· Adjustable 3 stage hook and eye closure



· Traceless seaming technique



Abdomen / Hip Post-Op. Compression Corset

It is a compression garment that extends to the knee used after abdominal, hip and thigh operations. During the 3 hook system treatment period, helps to the right treatment by providing suitable using of the compression adjustment of the corset fort he patient. Adjustable shoulder straps prevent improper position of the corset. Reinforced fabric and sewing technology are provides to support the body in an anatomical position.



	WAIST	THIGH	ĺ
	(
1	80 - 85 cm	43 - 46 cm	xxxs
2	85 - 90 cm 33 ½ - 35 ½ in	46 - 49 cm 18 % - 19 % in	XXS
3	90 - 95 cm	49 - 52 cm	XS
4	95 - 100 cm 37 h - 39 h in	52 - 55 cm 20 % - 21 % in	s
5	100 - 105 cm	55 - 58 cm	м
6	105 - 110 cm 41 % - 43 % in	58 - 61 cm 22 % - 24 in	L
7	110 - 115 cm	61 - 64 cm	XL
8	115 - 120 cm	64 - 67 cm 25 % - 26 % in	XXL
9	120 - 125 cm	67 - 70 cm	XXXI

 Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.

Thigh . Measure at the widest point of the thigh, near the crotch.









· Adjustable 3 stage hook and eye closure



Post-Op. Abdomen / Waist Shaper Corset

It is used after abdominal stretching and liposuction operations in the abdomen, groin and back section. It accelerates blood circulation with its compression effect. Double-layer liposuction fabric support provides more rigid compression to fit body form. Thanks to the 3-clutch system, it helps correct treatment by ensuring that the compression of the product is adjusted appropriately during the treatment period. Reinforced fabric and sewing technology are provides to support the body in an anatomical position.



64 - 68 cm 25 W - 26 W is 68 - 72 cm 72 - 76 cm 80 - 85 cm 31 # - 33 % a 85 - 90 cm 90 - 95 cm 35 % - 37 % in 95 - 100 cm Waist - Measure at the navel, between the lowest rib and hips, identified by bending the body to the side.









· Traceless seaming technique



· Double deck Extra compression support



LC-2040E

Compression Corset

It is made of 10 mm sponge towel fabric. With four-stage adjustable velcro closure, it provides ideal compression to the waist and abdominal region. Standard compression under the garment helps keep the treated area straight. Support to the operation region reduces the risk of haematoma by preventing fluid retention. There are two different types that are designed according to male and female anatomy.





Adjustable Velcro System



Extra compression support

Color Option

• Black

Size Chart

· Universal Size



LC-2040B

Compression Corset

It is made of 10 mm sponge towel fabric. With four-stage adjustable velcro closure, it provides ideal compression to the waist and abdominal region. Standard compression under the garment helps keep the treated area straight. Support to the operation region reduces the risk of haematoma by preventing fluid retention. There are two different types that are designed according to male and female anatomy.





Adjustable Velcro System



Extra compression support.

Color Option

Black

Size Chart

Universal Size



Chest Bandage (7 cm)

it is a implant stabilizing band used after the breast augmentation operation. Thanks to adjustable veloro closure, the degree of compression can be adjusted in the operation section.





Adjustable velcro system



Adjustable compression level

Calor Option

Beige ·

Size Chart

Universal Size






Throax Band (15 cm)

This is a chest corset used after gynecomasty surgeries. The bandage produced from supportive elastic cotton fabric reduces the risk of trauma in the operation area. Thanks to its flexibility, it applies equal pressure to each region and compresses against edema after the surgery. It increases the blood circulation and accelerates the healing of the edema area. Fabric structure reduces tenderness and pain complaints.





 $\hbox{\it Chest} \quad \hbox{\it -Measure at the widest point of the chest near the underarms}.$

Color Options










· Maximum compression support

LC-2000 (22 cm)





Abdomen - Measure at the middle point of the abdomen

Color Options





LC-2050 (16 cm)





LC-2060 (30 cm)

Abdominal Bandage

ifsyour

It is used in abdominal stretching and liposuction operations applied in abdomen, groin, waist back regions. The bandage, which is produced from supportive, flexible fabric, reduces the risk of trauma in the operation area. Thanks to adjustable velcro closure, the degree of compression can be adjusted according to the appropriate treatment. Due to its fabric properties, it applies uniform compression to all regions, regulates blood circulation and accelerates the healing of the edema region.








It is used in abdominal stretching and liposuction operations applied in abdomen, groin, waist back regions. The bandage, which is produced from supportive, flexible fabric, reduces the risk of trauma in the operation area. Thanks to adjustable velcro closure, the degree of compression can be adjusted according to the appropriate treatment. Due to its fabric properties, it applies uniform compression to all regions, regulates blood circulation and accelerates the healing of the edema region.











LC-2005 3 Panels (22 cm)



LC-2065 4 Panels (30 cm)




· Adjustable velcro system



Abdominal Bandage with Adjustable Panels

It is used in abdominal stretching and liposuction operations applied in the abdomen, groin and back of the waist. The dressing, which is produced from a supporting, flexible fabric, reduces the risk of trauma in the operation area. Adjustable velcro bands on the abdominal bandage provide comfort of use by means of adjusting the compression specifically for the required region. Improves blood circulation and accelerates the healing of the edematous section.










LC-2064 4 Panels



· Maximum flexibility



· Adjustable veloro system





Color Option





Adjustible gradual bandage support.
 Maximum flexibility



· Bidirectional flexing to adjust compression

LC-2035


3 Panel with Pad Abdominal Bandage (28 cm)

It is used after abdominal stretching and liposuction operations in the abdomen, groin and back region. The dressing is made of a supportive, elastic cotton fabric, which reduces the risk of trauma at the site of operation. The abdominal region is padded and resilient, thus applying equal pressure to each region and applying compression against postoperative edema. Increases blood circulation and accelerates healing of edematous region. Fabric structure reduces tenderness and pain.



Compression Support Pad

It is used under the compression garment after surgical operations. It is a complementary product aiming to increase the compression applied by the garment. It is made of soft and airy material because it is in direct contact with the skin. The product helps to reduce dead tissues and minimises skin damage. It helps keep the treated area straight. It provides support to the operated region. By minimizing the risk of haematoma, it prevents fluid retention and accelerates the healing process.







Post-Op. Bra

Made of double layer soft and flexible fabric to be used after brest augmentation and reduction operations. The adjustable 3-stage hook and eye closure band on the bra helps adjusting the compression to ensure appropriate treatment during the reduction of post op edema.





Bust • Measure at the widest point of the bust.





Traceless seaming technique



- Adjustable 3 stage hook and eye closure



- Shoulder section is adjustable 3 stage hook and eye closure



Post-Op. Bra (with Velcro)

Made of double layer soft and flexible fabric to be used after brest augmentation and reduction operations. The adjustable 3-stage hook and eye closure band on the bra helps adjusting the compression to ensure appropriate treatment during the reduction of post op edema.



	BUST	
х	69-74 cm	1
×	74 - 79 cm 29 % 31 W m	2
ာ	79 - 84 cm	3
	84 - 89 cm 33 % - 25 in	4
	89 - 94 cm 23 + 07 lit	5
	94 - 99 cm 37 - 39 m	6
0	99 - 104 cm	7

Bust • Measure at the widest point of the bust.





Traceless seaming technique



- Adjustable 3 stage hook and eye closure



· Adjustable velcro system on shoulder





Post-Op. Bra (with Zipper)

It is used after breast augmentation and reduction operations. It is made of double-layered soft, flexible fabric. Front side with zipper and back side with hook and eye closure helps correct treatment ensuring that the compression setting is performed appropriately for the patient when the degree of edema occurred after surgery decreased over time.





Bust . Measure at the widest point of the bust.






Front zipper and hook and eye back closure - Adjustable 3 stage hook and eye closure





· Adjustable shoulder strap



Post-Op. Bra with Bandage

It is used after breast augmentation and reduction operations. It is made of double-layered soft, flexible fabric. It has 3-clasping structure from the front. Adjustable shoulder and clasp support under the chest helps to wear the product easily. Extra 7 cm bandage support on the chest used after the operation fixes the implant. It has a hook and loop strap that can be adjusted to provide better compression to the breast area.





Bust - Measure at the widest point of the bust.







· Provides extra compression to the chest - Traceless seaming technique area with elastic bandage support Front zipper support.



- Adjustable velcro system on shoulder







AG-1050

Breast Prosthesis Bra

It is specially manufactured for breast prosthesis use. In the cup section, the pockets where the prosthesis can be placed provide comfortable use by fixing the prosthesis. Pockets in both cup regions allow the use of the prosthesis to be left and right. The inner surface is made of cotton fabric that does not irritate the skin. Shoulder straps are softened for comfortable use. Comfort and stylish appearance enhance the feeling of confidence.

Color Options

Size Chart

· White Beige ·

60 / 65 / 70 / 75 / 80 / 85 / 90 / 95 100 / 105 / 110 / 115 / 120 / 125 / 130



AG-1060

Silicone Breast Prosthesis

It is used to provide the natural appearance of the breast when breast tissue is removed after mastectomy operations, to reduce pain caused by imbalances, to protect the surgical wound from external impacts and bruises. It is made of high quality silicone gel. The outer surface is covered with polyurethane, suitable for each type of skin.

Color Option

Size Chart

97



60 / 65 / 70 / 75 / 80 / 85 / 90 / 95 100 / 105 / 110 / 115 / 120 / 125 / 130





Facial / Chin / Neck Bandage

The bandage is designed for the postoperative period after face lift, chin and neck area. Double layer fabric provides extra compression. Adjustable velcro closure over the head and behind the neck makes it easy to use.







Neck --- Measure at the widest point of the neck bone.







· Velcro system behind the head and neck



Face Bandage

Manufactured from easily adjustable and breathable eastic fabric Suitable for use in the postoperative period following face lifts, chin liposuction, forehead and otoplasty. There is a strap with velcro that enables the bandage to be fixed on the forehead or on the back of the head.



· High air permeable cotton fabric

Color Option



Size Chart





ANG-980

Nose Protective Mask

Made of plastic material, this is a mask that the inner surface used to protect the nose for trauma is softened with towel pad. It is used for protective purposes after the nose surgeries within the sports such as basketball, wrestling, karate, baseball, football, volleyball.



· Towel pad support on forehead and nose edges



58 - 61 cm

Head - Head circumference is taken from the middle of the full forehead







· Maximum protection



974

Ear Protective Bandage

An ear bandage manufactured from neoprene material, provides ear protection after otoplastic surgery, helps to accelerate the healing process by protecting the operation area from external influences. Due to the special material, sound waves are not blocked in the protection zone and do not cause hearing loss during treatment. Maximum comfort is provided with extra protection sponges which can be attached to the inner side with veloro. The bandage can be adjusted with adjustable veloro.





 Does not cause hearing problems, since the part coming to the ear section does not effects the sound waves



 With pad support, provides compression to the surgical area



Head - Head circumference is taken from the middle of the full forehead







975

Post-Op. Eye Mask (with Gel)

It is an eye mask used in the postoperative period after blepharoplasty. Adjustable Velcro system can be customized to provide comfortable use. The inner part of the mask consists of a pocket system for cooling gel pads.





Adjustable velcro system



· Gel pad support for operation area.

Color Option



Size Chart

Universal Size



Genitourinary Bandage

Bandage support used after uterine prolapse, Cystocele, Vaginal tonose prolapse. It is an abdominal bandage manufactured from breathable elastic fabric that adheres with velcro, extending from the hip area to the abdominal area. Its function is to cover the genitourinary region according to the needs of the patient.





Double sided adjustable velcro system



Adjustable velcro system for opretaion area

Color Option



Size Chart

- Universal Size

aurafix

Liposution Garments







































LC-1700

PE 04:95



LC-1720

W169



LC-1721

19/3009









LC-1903

PAGE OF COMPANION WAY

16 49-41



16.40-49

LC-1905



10.60日


LC-1904



LC-1910

16 55:53















Body Shapers & Bandages













LIP@SUCTION GARMENTS





















Facial & Head Post-Op. Garments

















aurafix		
		<u></u>
		<u>.</u> .
		<u> </u>
	4600	





for Aurafix innovations and developments in the health sector;
aurafix.com





is syptimate of the system of

TSD Sağlık Ürünleri Sanayi ve Ticaret A.Ş. Adil Mah. Ekol Cad. No: 12/A 34935 Sultanbeyli - İSTANBUL/TURKEY T:+90 216 399 30 55 F:+90 216 399 63 03 info@aurafix.com

